

Stealth Products
Solutions for Life®

UniLink
a Stealth Product

Compatibility

Stealth Products, LLC | 104 John Kelly Drive | Burnet, TX 78611 | (800) 965-9229 | (512) 715-9995
Email: info@stealthproducts.com | www.stealthproducts.com

P143D678R2

QUANTUM TB SERIES
HEADREST
SUPPORT OPTIONS

Fixed Headrest Hardware Options			
LENGTH	TUBING	PART NUMBER	SBM OPTIONS
7 in.	1/2 in.	UHB2D33200	SBM300-M SBM-DT
12 in.		UHB4D33200	
12 in.	15mm	UHB3D33200	SBM306

Comfort Plus Pad Options			
SIZE	PART NUMBER	SIZE	PART NUMBER
6 in.	CP06CCFPM	8 in.	CP08CCFPM
10 in.	CP10CCFPM	14 in.	CP14CCFPM
19 in.	CP19CCFPM	Custom	CP-CUSFPM

CP Swing Away Facial Lateral Options					
STYLE	ALIGNMENT	PART NUMBER	STYLE	ALIGNMENT	PART NUMBER
Standard (SAR2A)	Left	SAR2A-L	Dual (SAR4A)	2-point, Right (No Rods)	SAR4A-DRUL
	Right	SAR2A-R		3-point (UL, LL, UR)	SAR4A-DBU-LL
	Both	SAR2A-B		3-point (UL, LL, LR)	SAR4A-DBL-LU
Dual (SAR4A)	2-Point, Left	SAR4A-DLUL		3-point (UR, LR, UL)	SAR4A-DBU-RL
	2-Point, Right	SAR4A-DRU-RL		4-point	SAR4A-DB
	2-Point, Both	SAR4A-DBL (Lower) SAR4A-DBU (Upper)		4-point, (No Rods)	SAR4A

For more headrest options, see "UniLink™ Head Support Options" on Page 7.

QUANTUM TB SERIES
THORACIC LATERAL
SUPPORT OPTIONS

Thoracic Lateral Support Hardware			
STYLE	SIZE	STD. PAD MOUNT	FSC READY*
Swing Away	Long	ULS25100 -L/-R	ULS2510F -L/-R
	Short	ULS25000 -L/-R	ULS2500F -L/-R
In-Line Swing Away	Long	ULS05100 -L/-R	ULS0510F -L/-R
Fixed	Long	ULS23210 -L/-R	ULS2321F -L/-R
	Short	ULS23200 -L/-R	ULS2320F -L/-R

Thoracic Lateral Pads		
<u>SIZE</u>	<u>STANDARD</u>	<u>GEL</u>
3x5	ULP535050320	ULP535057120
4x6	ULP546050320	ULP546057120
5x7	ULP557050320	ULP557057120
Custom	ULPCUS010110	

Thoracic Hardware Option	
<u>STYLE</u>	<u>SIZE</u>
Full Surface Contact	UIPFSI100

Thoracic Lateral Mounts	
NAME	PART NUMBER
TB3 Mounting Kit	UIMBKITB3
TB4 Mounting Kit	UIMBKITB4
TB3/TB4 Bracket Only	UIMBK125

* FSC Ready requires a FSC Option in addition to a lateral hardware package.

QUANTUM TB SERIES
ELBOW
SUPPORT OPTIONS

Support Hardware		
STYLE	OPTION	PART NUMBER
Fixed	Left	UETB4021FL-Q
	Right	UETB4021FR-Q
Swing Away	Left	UETB4213SL-Q
	Right	UETB4213SR-Q
Pad Options		
SIZE	STANDARD	GEL
3x3	UEP533050320	UEP533057120
4x4	UEP544050320	UEP544057120
3x10	UEP53005032-L/-R	UEP53005712-L/-R

SIMPLE SOLUTIONS
BACKREST ADAPTER

Backrest Adapter Options	
STYLE	PART NUMBER
Standard	SSAPTb4
Pediatric	SSAPTb4-PED
Tarta	SSAPTb4-TRT



QUANTUM TB SERIES
THIGH GUIDE
SUPPORT OPTIONS

Thigh Support Hardware Packages			
STYLE	SIZE	PART NUMBER	USE MOUNT
Fixed	-	UTT2311902 -L/-R	UIMTNITB4
Flip Away	Short	UTS25100 -L/-R	
	Tall	UTS25300 -L/-R	
Removable-Standard	Short	UTTP5-Q	Mount Included
		UTT7A1260000	UT800000-Q
	Tall	UTTP7-Q	Mount Included
		UTT6A1260000	UT800000-Q
Removable - Multi Angle	Short	UTT7A11602 -L/-R	
	Tall	UTT6A11602 -L/-R	

Thigh Support Pad Options		
SIZE	TRACK PAD	STANDARD PAD
3x6	-	UTP536050300
4x4	UTP544056100	UTP544050300
4x6	UTP546056100	UTP546050300
4x8	UTP548056100	UTP548050300
4x10	UTP540056100	UTP540050300
4x12	UTP54D056100	UTP54D050300
Custom	UTP5CUS06100	UTP5CUS0300
Thigh Support Hardware Options		
STYLE	PART NUMBER	
Full Surface Contact (Flip Away Only)	UTPFSI100	



PERMOBIL CORPUS 3G
HEADREST
SUPPORT OPTIONS

Headrest Hardware Options			
LENGTH	TUBING	PART NUMBER	SBM OPTIONS
7 in.	1/2 in.	UHB2D33200	SBM300-M SBM-DT
12 in.		UHB4D33200	
12 in.	15mm	UHB3D33200	SBM306

Comfort Plus Pad Options			
SIZE	PART NUMBER	SIZE	PART NUMBER
6 in.	CP06CCFPM	8 in.	CP08CCFPM
10 in.	CP10CCFPM	14 in.	CP14CCFPM
19 in.	CP19CCFPM	Custom	CP-CUSFPM

CP Swing Away Facial Lateral Options					
<u>STYLE</u>	<u>ALIGNMENT</u>	<u>PART NUMBER</u>	<u>STYLE</u>	<u>ALIGNMENT</u>	<u>PART NUMBER</u>
Standard (SAR2A)	Left	SAR2A-L	Dual (SAR4A)	2-point, Right (No Rods)	SAR4A-DRUL
	Right	SAR2A-R		3-point (UL, LL, UR)	SAR4A-DBU-LL
	Both	SAR2A-B		3-point (UL, LL, LR)	SAR4A-DBL-LU
Dual (SAR4A)	2-Point, Left	SAR4A-DLUL		3-point (UR, LR, UL)	SAR4A-DBU-RL
	2-Point, Right	SAR4A-DRU-RL		4-point	SAR4A-DB
	2-Point, Both	SAR4A-DBL (Lower) SAR4A-DBU (Upper)		4-point, (No Rods)	SAR4A

For more headrest options, see "UniLink™ Head Support Options" on Page 7.

PERMOBIL CORPUS 3G
THORACIC LATERAL
SUPPORT OPTIONS

Thoracic Lateral Support Hardware			
STYLE	SIZE	STD. PAD MOUNT	FSC READY*
Swing Away	Long	ULS25100 -L/-R	ULS2510F -L/-R
	Short	ULS25000 -L/-R	ULS2500F -L/-R
In-Line Swing Away	Long	ULS05100 -L/-R	ULS0510F -L/-R
Fixed	Long	ULS23210 -L/-R	ULS2321F -L/-R
	Short	ULS23200 -L/-R	ULS2320F -L/-R

Thoracic Lateral Pads		
SIZE	STANDARD	GEL
3x5	ULP535050320	ULP535057120
4x6	ULP546050320	ULP546057120
5x7	ULP557050320	ULP557057120
Custom	ULPCUS010110	

Thoracic Hardware Option	
STYLE	SIZE
Full Surface Contact	UIPFSI100

Thoracic Lateral Mounts	
NAME	PART NUMBER
Corpus 3G Mounting Kit	UIMBKIP3G
Corpus 3G Rear Offset Bracket Only	UIMBKIO48

* FSC Ready requires a FSC Option in addition to a lateral hardware package.

PERMOBIL CORPUS 3G
ELBOW
SUPPORT OPTIONS

Support Hardware		
<u>STYLE</u>	<u>PART NUMBER</u>	<u>MOUNT OPTION</u>
Fixed	UE000021F0	UEPRMTRNFL UEPRMTRNFR
Swing Away	UE000213SL	
	UE000213SR	

Pad Options		
<u>SIZE</u>	<u>STANDARD</u>	<u>GEL</u>
3x3	UEP533050320	UEP533057120
4x4	UEP544050320	UEP544057120
3x10	UEP53005032-L/-R	UEP53005712-L/-R

SIMPLE SOLUTIONS
BACKREST ADAPTER

Backrest Adapter Options	
STYLE	PART NUMBER
Standard	SSAPGEN
Pediatric	SSAPGEN-PED
Tarta	SSAPGEN-TRT

PERMOBIL CORPUS 3G
THIGH GUIDE
SUPPORT OPTIONS

Thigh Support Hardware Packages			
STYLE	SIZE	PART NUMBER	USE MOUNT
Fixed	-	UTT2311902 -L/-R	UIMTNIPRM
Flip Away	Short	UTS25100 -L/-R	
	Tall	UTS25300 -L/-R	

Thigh Support Hardware Options	
STYLE	PART NUMBER
Full Surface Contact (Flip Away Only)	UTPFSI100

Thigh Support Pad Options		
SIZE	TRACK PAD	STANDARD PAD
3x6	-	UTP536050300
4x4	UTP544056100	UTP544050300
4x6	UTP546056100	UTP546050300
4x8	UTP548056100	UTP548050300
4x10	UTP540056100	UTP540050300
4x12	UTP54D056100	UTP54D050300
Custom	UTP5CUS06100	UTP5CUS0300



MANUAL WHEELCHAIR
HEADREST
SUPPORT OPTIONS

Head Support Options					
<u>LENGTH</u>	<u>TUBING SIZE</u>	<u>PART NUMBER</u>		<u>SBM Options</u>	
7 in.	1/2 in.	UHB2D33200		SBM300-M, SBM-DT	
12 in.		UHB4D33200			
12 in.	15mm	UHB3D33200		SBM306	

CP Swing Away Facial Lateral Options					
<u>STYLE</u>	<u>ALIGNMENT</u>	<u>PART NUMBER</u>	<u>STYLE</u>	<u>ALIGNMENT</u>	<u>PART NUMBER</u>
Standard (SAR2A)	Left	SAR2A-L	Dual (SAR4A)	2-point, Right (No Rods)	SAR4A-DRUL
	Right	SAR2A-R		3-point (UL, LL, UR)	SAR4A-DBU-LL
	Both	SAR2A-B		3-point (UL, LL, LR)	SAR4A-DBL-LU
Dual (SAR4A)	2-Point, Left	SAR4A-DLUL		3-point (UR, LR, UL)	SAR4A-DBU-RL
	2-Point, Right	SAR4A-DRU-RL		4-point	SAR4A-DB
	2-Point, Both	SAR4A-DBL (Lower) SAR4A-DBU (Upper)		4-point, (No Rods)	SAR4A

Comfort Plus Pad Options					
<u>SIZE</u>	<u>PART NO.</u>	<u>SIZE</u>	<u>PART NO.</u>	<u>SIZE</u>	<u>PART NO.</u>
6 in.	CP06CCFPM	8 in.	CP08CCFPM	10 in.	CP10CCFPM
14 in.	CP14CCFPM	19 in.	CP19CCFPM	Custom	CP-CUSFPM

For more headrest options, see "UniLink™ Head Support Options" on Page 7.



MANUAL WHEELCHAIR
THORACIC LATERAL
SUPPORT OPTIONS

Thoracic Lateral Support Hardware			
STYLE	SIZE	STD. PAD MOUNT	FSC READY*
Swing Away	Long	ULS25100 -L/-R	ULS2510F -L/-R
	Short	ULS25000 -L/-R	ULS2500F -L/-R
In-Line Swing Away	Long	ULS05100 -L/-R	ULS0510F -L/-R
Fixed	Long	ULS23210 -L/-R	ULS2321F -L/-R
	Short	ULS23200 -L/-R	ULS2320F -L/-R

Thoracic Lateral Pad Options		
SIZE	STANDARD	GEL
3x5	ULP535050320	ULP535057120
4x6	ULP546050320	ULP546057120
5x7	ULP557050320	ULP557057120
Custom	ULPCUS010110	

* FSC Ready requires a FSC Option in addition to a lateral hardware package.

Thoracic Lateral Hardware Option	
STYLE	SIZE
Full Surface Contact	UIPFSI100
90° All Season	UIMAS090
80° All Season	UIMAS080
75° All Season	UIMAS075
70° All Season	UIMAS070

Thoracic Lateral Mounting Options	
NAME	PART NUMBER
90° Bracket (Planar, TFB I Back)	UIMBK1090
105° Bracket (TFB R Back)	UIMBK1105
135° Bracket (ADI, Q-Back, TFB Contour, Diego, Flex Back)	UIMBK1135
3/4" Cane Clamp	UIMCNI340
7/8" Cane Clamp	UIMCNI780
1" Cane Clamp	UIMCNI100
3/4" Crescent Clamp	UIMCRI340
7/8" Crescent Clamp	UIMCRI780
1" Crescent Clamp	UIMCRI100

MANUAL WHEELCHAIR
THIGH GUIDE
SUPPORT OPTIONS

Thigh Support Hardware Packages		
STYLE	SIZE	PART NUMBER
Fixed	-	UTT2311902 -L/-R
Flip Away	Short	UTS25100 -L/-R
	Tall	UTS25300 -L/-R

Thigh Support Hardware Options	
NAME	PART NUMBER
Full Surface Contact	UTPFSI100
Pelvic 90° All Seasons	UTMASI090

Thigh Support Mounting Options	
NAME	PART NUMBER
90° Bracket	UIMPBI090
Cane Mount 3/4 in.	UIMPCI340
Cane Mount 7/8 in.	UIMPCI780
Cane Mount 1 in.	UIMPCI100

Thigh Support Pad Options		
SIZE	TRACK PAD	STANDARD PAD
3x6	-	UTP536050300
4x4	UTP544056100	UTP544050300
4x6	UTP546056100	UTP546050300
4x8	UTP548056100	UTP548050300
4x10	UTP540056100	UTP540050300
4x12	UTP54D056100	UTP54D050300
Custom	UTPCUS06100	UTPCUS050300



PLANAR SEATING
HEADREST
SUPPORT OPTIONS

Head Support Options					
LENGTH	TUBING SIZE	PART NUMBER	SBM Options		
7 in.	1/2 in.	UHB2D33200	SBM300-M, SBM-DT		
12 in.		UHB4D33200			
12 in.	15mm	UHB3D33200	SBM306		

CP Swing Away Facial Lateral Options					
STYLE	ALIGNMENT	PART NUMBER	STYLE	ALIGNMENT	PART NUMBER
Standard (SAR2A)	Left	SAR2A-L	Dual (SAR4A)	2-point, Right (No Rods)	SAR4A-DRUL
	Right	SAR2A-R		3-point (UL, LL, UR)	SAR4A-DBU-LL
	Both	SAR2A-B		3-point (UL, LL, LR)	SAR4A-DBL-LU
Dual (SAR4A)	2-Point, Left	SAR4A-DLUL		3-point (UR, LR, UL)	SAR4A-DBU-RL
	2-Point, Right	SAR4A-DRU-RL		4-point	SAR4A-DB
	2-Point, Both	SAR4A-DBL (Lower) SAR4A-DBU (Upper)		4-point, (No Rods)	SAR4A

Comfort Plus Pad Options					
SIZE	PART No.	SIZE	PART No.	SIZE	PART No.
6 in.	CP06CCFPM	8 in.	CP08CCFPM	10 in.	CP10CCFPM
14 in.	CP14CCFPM	19 in.	CP19CCFPM	Custom	CP-CUSFPM

For more headrest options, see "UniLink™ Head Support Options" on Page 7.

PLANAR SEATING
THORACIC LATERAL
SUPPORT OPTIONS

Thoracic Lateral Support Hardware Packages			
STYLE	SIZE	STANDARD PAD MOUNT	FSC READY*
Swing Away	Long	ULS25100 -L/-R	ULS2510F -L/-R
	Short	ULS25000 -L/-R	ULS2500F -L/-R
In-Line Swing Away	Long	ULS05100 -L/-R	ULS0510F -L/-R
Fixed	Long	ULS23210 -L/-R	ULS2321F -L/-R
	Short	ULS23200 -L/-R	ULS2320F -L/-R

Thoracic Lateral Hardware Options	
STYLE	SIZE
Full Surface Contact	UIPFSI100

* FSC Ready requires a FSC Option in addition to a lateral hardware package.

Thoracic Lateral Pad Options	
SIZE	STANDARD
3x5	ULP535050320
4x6	ULP546050320
5x7	ULP557050320
3x5 Gel	ULP535057120
4x6 Gel	ULP546057120
5x7 Gel	ULP557057120
Custom	ULPCUS010110

Thoracic Lateral Mounting Options	
NAME	PART NUMBER
90° Bracket (Planar, TFB I Back)	UIMBK1090
3/4" Cane Clamp	UIMCNI340
7/8" Cane Clamp	UIMCNI780
1" Cane Clamp	UIMCNI100
3/4" Crescent Clamp	UIMCRI340
7/8" Crescent Clamp	UIMCRI780
1" Crescent Clamp	UIMCRI100

PLANAR SEATING
THIGH GUIDE
SUPPORT OPTIONS

Thigh Support Hardware Packages		
<u>STYLE</u>	<u>SIZE</u>	<u>PART NUMBER</u>
Fixed	-	UTT2311902 -L/-R
Flip Away	Short	UTS25100 -L/-R
	Tall	UTS25300 -L/-R

Thigh Support Pad Options		
<u>SIZE</u>	<u>TRACK PAD</u>	<u>STANDARD PAD</u>
3x6	-	UTP536050300
4x4	UTP544056100	UTP544050300
4x6	UTP546056100	UTP546050300
4x8	UTP548056100	UTP548050300
4x10	UTP540056100	UTP540050300
4x12	UTP54D056100	UTP54D050300
Custom	UTPCUS06100	UTPCUS050300

Thigh Support Mounting Options	
<u>NAME</u>	<u>PART NUMBER</u>
90° Bracket	UIMPBI090

Thigh Support Hardware Options	
<u>NAME</u>	<u>PART NUMBER</u>
Full Surface Contact	UTPFS1100
Pelvic 90° All Seasons	UTMASI090

UNI LINK™ HEADREST MOUNT SUPPORT OPTIONS

Fixed Headrest Options				
STYLE	LENGTH	TUBING SIZE	PART NUMBER	MOUNT OPTION
Fixed	7 in.	1/2 in.	UHB2D33200	SBM300-M SBM-DT
	12 in.		UHB4D33200	
		15mm	UHB3D33200	SBM306

Flip-Down Headrest Options				
STYLE	LENGTH	TUBING SIZE	PART NUMBER	MOUNT OPTION
Flip-Down	7.5 in	1/2"	UHB2D232FD	SBM300-M SBM-DT
		15mm	UHB3D232FD	SBM306

See next page for more headrest options.

UNI LINK™ THORACIC LATERAL SUPPORT OPTIONS

Thoracic Lateral Support Compatibility										
STYLE	SIZE	STANDARD PAD MOUNT	FSC READY*	MOUNT INCLUDED	BACK MOUNTS	OEM MOUNTS	CANE CLAMPS	CRESCENT CLAMPS	ALL SEASONS MOUNTS	FSC PAD MOUNT*
Swing Away	Long	ULS25100 -L/-R	ULS2510F -L/-R	No	UIMBK1048 UIMBK1090 UIMBK1105 UIMBK1125 UIMBK1135 UIMTNI001	UIMBKITB3 UIMBKITB4 UIMBKIP3G	UIMCNI340 UIMCNI780 UIMCNI100	UIMCRI340 UIMCRI780 UIMCRI100	UIMASI070 UIMASI075 UIMASI080 UIMASI090	UIPFSI100
	Short	ULS25000 -L/-R	ULS2500F -L/-R							
In-Line Swing Away	Long	ULS05100 -L/-R	ULS0510F -L/-R							
	Short	ULS05000 -L/-R	ULS0500F -L/-R							
Fixed	Long	ULS23210 -L/-R	ULS2321F -L/-R							
	Short	ULS23200 -L/-R	ULS2320F -L/-R							

Pad Options*						
3x5	4x6	5x7	3x5 GEL	4x6 GEL	5x7 GEL	CUSTOM
ULP535050320	ULP546050320	ULP557050320	ULP535057120	ULP546057120	ULP557057120	ULPCUS010110

* FSC Ready requires an FSC Option in addition to a lateral hardware package.

UNI LINK™ ELBOW GUIDE SUPPORT OPTIONS

Elbow Support Compatibility			
STYLE	FIXED	FLIP BACK	MOUNT
Quantum Flip Back Arms	UETB4021FL-Q UETB4021FR-Q	UETB4213SL-Q UETB4213SR-Q	Included
Permobil Corpus 3G	UE000021F0	UE000213SL UE000213SR	UEPRMTRNFL UEPRMTRNFR
Standard			UESTDRNFL UESTDRNFR

Elbow Support Pad Options		
SIZE	STANDARD	GEL
3x3	UEP533050320	UEP533057120
4x4	UEP544050320	UEP544057120
3x10	UEP53005032 -L/-R	UEP53005712 -L/-R

UNI LINK™ THIGH GUIDE SUPPORT OPTIONS

Thigh Lateral Support Compatibility								
STYLE	SIZE	PART NUMBER	MOUNT INCLUDED	TRACK MOUNT	CANE CLAMP	PLANAR MOUNT	ALL SEASONS MOUNTS	FSC PAD MOUNT
Fixed	-	UTT2311902 -L/-R	No	UIMTNITB4 UIMTNIPRM	UIMPCI340 UIMPCI780 UIMPCI100	UIMPBI090	UTMASI090	UTPFSI100
Flip Away	Short	UTS25100 -L/-R						
	Tall	UTS25300 -L/-R						
Removable - Standard	Short	UTTP5-Q	Yes	UT800000-Q	UT800000-Q + UIMPCI340 UIMPCI780 UIMPCI100	UT800000-Q + UIMPBI090	-	-
		UTT7A1260000	No					
	Tall	UTTP7-Q	Yes					
		UTT6A1260000	No					
Removable - Multi Angle	Short	UTT7A11602 -L/-R	No					
	Tall	UTT6A11602 -L/-R						

Pad Options	
SIZE	PART NUMBER
3x5	ULP535050320
4x6	ULP546050320
5x7	ULP557050320
3x5 Gel	ULP535057120
4x6 Gel	ULP546057120
5x7 Gel	ULP557057120
Custom	ULPCUS010110

Swing Away Hardware and Compatible Head Support Pads


(All head support pads and swing-away hardware work with any of the headrest mount options.)

UNILINK™ ULTRA SUPPORT OPTIONS

Ultra Hardware Options					Occipital Pad Options		Sub-Occipital Pad Options	
STYLE	TUBING SIZE	STEM OPTION	ULTRA CHANNEL	SBM OPTION	SIZE	PART NUMBER	SIZE	PART NUMBER
Flip-Down	1/2 in.	UHB2D232FD-QCR	UHBSU23200	SBM300-M, SBM-DT	Large	500M	2 x 4.5 in.	600M
	15mm	UHB3D232FD-QCR		SBM306	Small	510M	2 x 3 in.	610M
Fixed	1/2 in.	UHB2D33200-QCR	UHBSU23200	SBM300-M, SBM-DT	3x3 Niño	520M	2 x 6 in.	620M
		UHB4D33200-QCR			3x2 Niño	530M	All "Low Profile" i2i options on "i2i Upper Torso" below	
	15mm	UHB3D33200-QCR		SBM306	Comfort Plus	CP06CCFPM		

UNILINK™ SWING AWAY FACIAL SUPPORT OPTIONS

Swing Away Facial Lateral Options					
STYLE	ALIGNMENT	PART NUMBER	STYLE	ALIGNMENT	PART NUMBER
Standard (SAR2A)	Left	SAR2A-L	Dual (SAR4A)	2-Point, Left	SAR4A-DLUL
	Right	SAR2A-R		2-Point, Right	SAR4A-DRU-RL
	Both	SAR2A-B		2-Point, Both	SAR4A-DBL (Lower) SAR4A-DBU (Upper)
Low Profile (SAR2B)	Left	SAR2B-L		2-point, Right (No Rods)	SAR4A-DRUL
	Right	SAR2B-R		3-point (UL, LL, UR)	SAR4A-DBU-LL
	Both	SAR2B-B		3-point (UL, LL, LR)	SAR4A-DBL-LU
Flat (SAR2C)	Left	SAR2C-L		3-point (UR, LR, UL)	SAR4A-DBU-RL
	Right	SAR2C-R		4-point	SAR4A-DB
	Both	SAR2C-B		4-point (No Rods)	SAR4A




Facial Pads	
SIZE	PART NUMBER
2 x 4.5 in.	900M
2 x 3 in.	910M
2 x 6 in.	920M
1.5 x 6 in.	930M

UNILINK™ HEAD SUPPORT OPTIONS

Comfort Plus	
SIZE	PART NUMBER
6 in.	CP06CCFPM
8 in.	CP08CCFPM
10 in.	CP10CCFPM
14 in.	CP14CCFPM
19 in.	CP19CCFPM
Custom	CP-CUSFPM

Adjustable Comfort Plus	
SIZE	PART NUMBER
14 in.	ACP150M
19 in.	ACP550M
Swing Away Options	
For "CP"	
Choose SAR2A or SAR4A.	
For "ACP" & "TCP"	
Choose SAR2C	


Tri-Comfort Plus	
SIZE	PART NUMBER
6 in.	TCP505M
8 in.	TCP405M
10 in.	TCP305M
14 in.	TCP205M
19 in.	TCP105M



All Positioning	
SIZE	PART NUMBER
Extra Small	AP150M
Small	AP250M
Medium	AP350M
Large	AP450M
Extra Large	AP550M

Combo	
SIZE	PART NUMBER
Small	CB315M
Large	CB305M
Extra Large	CB325M
Swing Away Option	
For "AP" & "Combo"	
Choose SAR2B.	

UNILINK™ i2i UPPER TORSO SUPPORT OPTIONS



Swing Away Option	
For "i2i"	
Choose SAR2B	

UniLink i2i Options											
OPTION	Niño XS	Niño S	S, ADJ.	S	M, ADJ.	M	L, ADJ.	L	XL, ADJ.	XL	CUSTOM
Standard	i2i250M	i2i350M	i2i420M	i2i450M	i2i520M	i2i550M	i2i620M	i2i650M	i2i720M	i2i750M	i2i950
Short Arm	-	-	i2i421M	i2i451M	i2i521M	i2i551M	i2i621M	i2i651M	i2i721M	i2i751M	
Gel	i2i252M	i2i352M	i2i437M	i2i452M	i2i537M	i2i552M	i2i637M	i2i652M	i2i737M	i2i752M	
Short Arm, Gel	-	-	i2i438M	i2i453M	i2i538M	i2i553M	i2i638M	i2i653M	i2i738M	i2i753M	
Low Profile	-	-	i2i470M	i2i455M	i2i570M	i2i555M	i2i670M	i2i655M	i2i770M	i2i755M	
Low Profile, Short Arm	-	-	i2i471M	i2i456M	i2i571M	i2i556M	i2i671M	i2i656M	i2i771M	i2i756M	
Low Profile, Gel	-	-	i2i477M	i2i457M	i2i577M	i2i557M	i2i677M	i2i657M	i2i777M	i2i757M	
Low Profile, Gel, Short Arm	-	-	i2i478M	i2i458M	i2i578M	i2i558M	i2i678M	i2i658M	i2i778M	i2i758M	